

安規證書

料號 :

Model Name FSP350-F35-A12,FSP260-F35-A18,FSP350-F35-A18,FSP350-F35-

A24,FSP350-F35-A54,PU350-12A,PU260-13-1A,PU350-13-1A,PU350-

Allright

版次 : 02

文件編號 : SFD-00004452

作者 : kent/葉泰宏(FSP)

Model No/Type : FSP350-F35-A12,FSP260-F35-A18,FSP350-F35-A18,FSP350-F35-A24,FSP350-

F35-A54,PU350-12A,PU260-13-1A,PU350-13-1A,PU350-14A,PU350-19A

SFA NO. : SFA20021000

Trade mark : FSP,PROTEK

安規種類 : cCSAus 62368

發行日期 : 2020/03/20 15:17:21

備註 : MODIFY

台灣 桃園市桃園區 330 建國東路 22 號 No. 22, Jianguo E. Rd., Taoyuan Dist., Taoyuan City 330,

Taiwan(R.O.C)

TEL: +886-3-375-9888 FAX: +886-3-375-6966



Certificate of Compliance

Certificate: 80013903 **Master Contract:** 188668 (LR 111897)

Project: 80034933 **Date Issued:** 2020-03-16

Issued to: FSP Group Inc.

No. 22, Jianguo E. Rd. Taoyuan City 330

TAIWAN

Attention: Mr. Kent Yeh

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only



Issued by:

Wai Chee Beng

PRODUCTS

CLASS 5311 67 - POWER SUPPLIES - Component Type (CSA 62368-1) CLASS 5311 97 - POWER SUPPLIES - Component Type (ANSI/UL 62368-1) - Cert to U.S. Stds

Switching Power Supply intended for use with Information Technology and Business Equipment, where the suitability of the combination is to be determined by CSA International.

Switching Power Supply, model, input and output rated as follows: (Evaluated to operate up to 5000 m above sea level.)

DQD 507 Rev. 2019-04-30

© 2018 CSA Group. All rights reserved.

Page



Certificate: 80013903 **Master Contract:** 188668 (LR 111897)

Project: 80034933 **Date Issued:** 2020-03-16

Model	FSP350-F35-A12 /	FSP260-F35-A18	FSP350-F35-A18 /	FSP350-F35-A24/	FSP350-F35-A54/
	PU350-12A	/ PU260-13-1A	PU350-13-1A	PU350-14A	PU350-19A
I/P	100-240Vac, 4.3A, 50-60Hz	100-240Vac, 3.1A, 50-60Hz	100-240Vac, 4.3A, 50-60Hz		
O/P Rating	12Vdc, 29.2A	18Vdc, 14.45A	18Vdc, 19.5A	24Vdc, 14.6A	54Vdc, 6.5A
	(With Fan	(With Fan	(With Fan	(With Fan	(With Fan
	15.13CFM)	15.13CFM)	15.13CFM)	15.13CFM)	15.13CFM)
O/P De-Rating	12Vdc, 16.7A derating (non Fan)		18Vdc, 11.1A derating (non Fan)	24Vdc, 8.3A derating (non Fan)	54Vdc, 3.7A derating (non Fan)

APPLICABLE REQUIREMENTS

CAN/CSA-C22.2 No. 62368-1-14 - Audio/video, information and c

Audio/video, information and communication technology equipment – Part 1: Safety requirements

ANSI/UL Std No 62368-1 2nd Edition - Audio/video, information and communication technology equipment -

Part 1: Safety requirements

 DQD 507 Rev. 2019-04-30
 © 2018 CSA Group. All rights reserved.
 Page 2



Supplement to Certificate of Compliance

Certificate: 80034933 **Master Contract:** 188668 (LR 111897)

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80034933	2020-03-16	Update Report 80013903 to add new models & trademark for Protek Power and to revise Fuse designation (From F100 to F101)
80013903	2019-12-03	Original Certification

DQD 507 Rev. 2019-04-30 © 2018 CSA Group. All rights reserved. Page



Certificate of Compliance

Certificate: 80013903 **Master Contract:** 188668 (LR 111897)

Project: 80013903 **Date Issued:** 2019-12-03

Issued to: FSP Group Inc.

No. 22, Jianguo E. Rd. Taoyuan City 330 TAIWAN

Attention: Mr. Kent Yeh

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US (indicating that products have been manufactured to the requirements of both Canadian and US Standards) or with adjacent indicator 'US' for US only or without either indicator for Canada only



Issued by:

Allen Huang

Allen Hu

PRODUCTS

CLASS 5311 67 - POWER SUPPLIES - Component Type (CSA 62368-1) CLASS 5311 97 - POWER SUPPLIES - Component Type (ANSI/UL 62368-1) - Cert to U.S. Stds

Switching Power Supply intended for use with Information Technology and Business Equipment, where the suitability of the combination is to be determined by CSA International.

Switching Power Supply, model, input and output rated as follows: (Evaluated to operate up to 5000 m above sea level.)

DQD 507 Rev. 2019-04-30

© 2018 CSA Group. All rights reserved

Page



Certificate: 80013903 **Master Contract:** 188668 (LR 111897)

Project: 80013903 **Date Issued:** 2019-12-03

Model	FSP260-F35-A18	FSP350-F35-A12	FSP350-F35-A18	FSP350-F35-A24	FSP350-F35-A54
I/P	100-240Vac, 3.1A, 50-60Hz	100-240Vac, 4.3A, 50-60Hz			
O/P Rating	18Vdc, 14.45A (With Fan 15.13CFM)	12Vdc, 29.2A (With Fan 15.13CFM)	18Vdc, 19.5A (With Fan 15.13CFM)	24Vdc, 14.6A (With Fan 15.13CFM)	54Vdc, 6.5A (With Fan 15.13CFM)
O/P De- Rating		12Vdc, 16.7A derating (non Fan)	18Vdc, 11.1A derating (non Fan)	24Vdc, 8.3A derating (non Fan)	54Vdc, 3.7A derating (non Fan)

APPLICABLE REQUIREMENTS

CAN/CSA-C22.2 No. 62368-1-14 - Audio/video, information and communication technology equipment –

Part 1: Safety requirements

ANSI/UL Std No 62368-1 2nd Edition - Audio/video, information and communication technology equipment -

Part 1: Safety requirements

DQD 507 Rev. 2019-04-30 © 2018 CSA Group. All rights reserved. Page 2



Supplement to Certificate of Compliance

Certificate: 80013903 **Master Contract:** 188668 (LR 111897)

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Date Description
Original Certification

DQD 507 Rev. 2019-04-30 © 2018 CSA Group. All rights reserved. Page